

# UNIVERSITY OF AGRICULTURAL SCIENCE, BENGALURU GRAMIN KRISHI MAUSAM SEWA(GKMS) AMFU OF IMD, BENGALURU



Date: 24.11

## AGROMET-ADVISORY BULLETIN

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

The forecast is valid for Chikkaballapur district Weather forecast (Valid from 25-11-2023 to 29-11-2023)

## **Forecast summary:**

Parameters	25.11.2023	26.11.2023	27.11.2023	28.11.2023	29.11.2023
Rainfall (mm)	5	4	3	3	0
Max Temp Trend ( °C)	27	27	27	29	28
Min Temp Trend ( °C)	20	19	19	18	18
<b>Total cloud cover (octa)</b>	7	7	7	4	4
Relative humidity (%) Max	94	94	94	92	92
Relative humidity (%) Min	86	86	86	84	84
Wind speed (Km/hr)	2	3	2	2	2
<b>Wind Direction (Degrees)</b>	112	103	90	90	72

Light rain forecasted by IMD, Bangalore during next 5 days. The Maximum temperature ranges from 27.0-29.0°C and Minimum of 18.0-20.0°C. Relative humidity 92-94 % during morning hrs and 84-86 % during noon is expected. Wind speed 2-3 km/hr.

## **Weather Based Agro Advisories**

Crop information and Crop Stages of the major Kharif/Rabi crops

District	Kharif crops			Horticulture crops		
Chikkaballapura	Groundnut	Redgram	Finger millet	Maize	Grape	Mango
	-	М,Н	М,Н	-		-

G: Germination, S: Sowing, EV: Early vegetative, VG: Vegetative growth, TR: Tranplanting, PI: Peg initiation, FLI: Flag leaf initiation, F: Flowering, PF: Pod formation, PM: Pod Maturity, T: Tillering,, Ts: Taselling, E: Ear head emergence, GF: Grain filling, H: Harvesting IBI: Inflorescence Bud initiation, PP(V): Pod Picking Vegetable, F& FS: Flowering to fruit setting, FD: Fruit Development, H: Harvesting, M: Maturation, B: Branching

#### **Agromet Advisory:**

Crop/ Component	Stage/ Condition	Pest and Disease	Agro advisories	
General		<ul> <li>Suggested for land preparation for rabi crops sowing.</li> <li>Intercultural operation recommended for conserving soil moisture and removal of weeds.</li> <li>Mulching is recommended to conserve the soil moisture in standing crops.</li> </ul>		
Kharif crops	Maturity and Harvesting stage	<ul> <li>The following Rabi crops are suggested for sowing. Horse gram-PHG-9, KBH-1, Niger, Field bean-HA-3 and 4 and sunflower-KBSH-1, 41, 42, 44 &amp; 53, cowpea (KBC-1, TVX-944 and PKB-4 for vegetable purpose). <ul> <li>Earthing up makes better availability of soil moisture to the crop rows through conversion of the land into ridges and furrow system.</li> <li>Wherever over population of crop plants is existing, undertake thinning operation for better availability of scarce soil moisture to the reduce population of crop plants.</li> <li>Right time for harvesting of matured pod or whole plants kept for dry place.</li> </ul> </li> </ul>		
	1	Animal	Husbandry	

Dairy	Feeding of lactating cow
	<ul> <li>Proper feeding of dairy cattle should envisage minimum wastage of nutrients and maximum returns in respect of milk produced.</li> <li>A concentrate mixture made up of protein supplements such as oil cakes, energy sources such as cereal grains (Maize, Jowar), tapioca chips and laxative feeds such as brans (rice bran, wheat bran, gram husk) is generally used.</li> </ul>
	<ul> <li>Mineral mixture containing major and all the trace elements should be included at a level of 2 percent.</li> <li>Dietary fiber for milking cow should be 17 % and NDF (Neutral Detergent Fiber) 22 %</li> </ul>

AMFU of IMD Bengaluru

**Important Note:** Farmers are informed to use the APPs & Videos related to Weather information: MEGHDOOT, MAUSAM AND DAMINI APPS. This information is available in the website: *mausam.imd.gov.in*