# UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU & INDIAN METEOROLOGICAL DEPARTMENT



## GRAMIN KRISHI MAUSAM SEWA AMFU, OFRS, NAGANAHALLI, MYSURU - 570003



Date: 09-02-2024

#### AGRO-ADVISORY BULLETIN FOR KODAGU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

### Weather forecast for the next five days (From 10-02-2024 to 14-02-2024)

	•			· · · · · · · · · · · · · · · · · · ·	
Parameter	10.02.2024	11.02.2024	12.02.2024	13.02.2024	14.02.2024
Rainfall (mm)	0	0	0	0	0
Max. Temp. (°C)	30	30	31	30	30
Min. Temp. (°C)	16	16	15	15	16
Sky condition (Octas)	3	1	0	2	2
Relative humidity (%) 0830 hours	71	70	68	65	74
Relative humidity (%) 1730 hours	30	48	48	46	42
Wind Speed (kmph)	7	9	9	7	6
Wind Direction	110	80	80	90	80

#### **Forecast Summary**

As forecast received from IMD, Cloudy sky with no rainfall may be expected from 10.02.2024 to 14.02.2024 in Kodagu district. The day temperature is expected to be  $30-31^{\circ}$ C & night temperature is expected  $15-16^{\circ}$ C. The relative humidity in the morning hours is expected to be 65-74% & afternoon relative humidity is expected to be in the range of 30-48%. Wind speed expected to be 6-9 km/hr.

Recommendations to the farmers:						
Crop	Pest/Disease	Damage symptoms Control measures				
• Farmers should provide protective irrigation if rainfall does not occur at the critical stage of crop growth.						
Cowpea	Aphids	Several individuals suck the sap from tender shoots, flower buds, flowers, leaves and tender pods. Yellowing of leaves, shrivelled grains and sooty mold on leaves. To manage this pest spray Dimethoate – 30 EC. @ 1.7 ml./liter water spray. 200 lit. Spray mixture/acre.				
Mango	Powdery mildew and	congenial condition for	igher humidity in morning hours is r occurrence of powdery mildew er pest on mango orchard, hence			

	hoppers	farmers are advised to take control measure to manage these pest and disease.		
		<ul> <li>To manage powdery mildew disease take spray of 3.0 g. Sulphur 80 WP or 1.0 ml. Hexaconozole 5 EC.at flowering and fruiting stage.</li> <li>To manage hopper incidence take the spray of 0.3 ml Imidachloprid 17.8 SL.in a lit. water before flowering and when fruits are pea size.</li> </ul>		
	Rugose whitefly	The immature and adult whiteflies have a sucking feeding		
Coconut		habit, feeding on the under surfaces of the leaflets. Extensive		
		feeding of the insect leads to the excretion of honey dew which		
		encourages growth of the fungus Capnodium sp.which affects		
		the photosynthetic efficiency of the plant.		
		Sooty mould (Capnodium sp.) growth on the leaf surface can		
		be flaked out by spraying 2.5% of maida paste solution mixed		
		with detergent/ Khadi soap @ 5g/ l.		
		In severe cases, spray only neem oil 0.5% or NSKE 5% and		
		avoid spraying any form of insecticides.		
Livestock	<ul> <li>To protect the new born calves from cold, provide straw/hay bedding to young calves, keep the bedding material dry and change regularly. Expose animals to sunshine during afternoon hours. Possibility of fall in night temperatures keep the animal under shed and clean around to control fly and mosquito in cattle shed.</li> <li>Feed the animals with quality fodder along with 50-100 gram mineral mixture during early morning and evening hours. This increases milk</li> </ul>			
	productivity and enhance the animal's immunity. To avoid occurrence of			
	milk fever in milking animals, farmers are advised to feed orally easily absorbable calcium supplements.			
	<ul> <li>Due to prevailing of high humidity farmers are advised to keep clean around</li> </ul>			
	the animal shed to avoid the infestation of house fly/other.			

- Download "**DAMINI**" app to get early warning on lightening and take precautions based on the alert given by the application.
- ➤ Kindly download"MAUSAM" APP for location specific forecast & warning &"MEGHDOOT" APP for Agromet advisory
- This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.C.Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Research Assoicateover phone No. 0821-259126/9535345814.

AMFU of IMD, Naganahalli, Mysuru