# UNIVERSITY OF AGRICULTURAL SCIENCES, BENGALURU & INDIAN METEOROLOGICAL DEPARTMENT



## GRAMIN KRISHI MAUSAM SEWA AMFU, OFRS, NAGANAHALLI, MYSURU - 570003



Date: 13-02-2024

#### AGRO-ADVISORY BULLETIN FOR KODAGU DISTRICT

Issued jointly by, UAS, Bengaluru & Indian Meteorological Department

### Weather forecast for the next five days (From 14-02-2024 to 18-02-2024)

Parameter	14.02.2024	15.02.2024	16.02.2024	17.02.2024	18.02.2024
Rainfall (mm)	0	0	0	0	0
Max. Temp. (°C)	31	30	30	31	31
Min. Temp. (°C)	15	14	15	14	15
Sky condition (Octas)	0	2	2	0	1
Relative humidity (%) 0830 hours	74	78	70	74	57
Relative humidity (%) 1730 hours	17	23	22	19	17
Wind Speed (kmph)	7	7	8	9	7
Wind Direction	80	110	80	80	90

#### **Forecast Summary**

As forecast received from IMD, Cloudy sky with no rainfall may be expected from 14.02.2024 to 18.02.2024 in Kodagu district. The day temperature is expected to be  $30-31^{\circ}$ C & night temperature is expected  $14-15^{\circ}$ C. The relative humidity in the morning hours is expected to be 57-78% & afternoon relative humidity is expected to be in the range of 17-23%. Wind speed expected to be 7-9 km/hr.

Recommendations to the farmers:							
Crop	Pest/Disease	Damage symptoms Control measure					
• Due to dry weather prevail for next four days, farmers may take up irrigation to the dry land horticultural crops and other field crops depending on soil and crop condition.							
Cowpea	Aphids	Several individuals suck the sap from tender shoots, flower buds, flowers, leaves and tender pods. Yellowing of leaves, shrivelled grains and sooty mold on leaves. To manage this pest spray Dimethoate – 30 EC. @ 1.7 ml./liter water spray. 200 lit. Spray mixture/acre.					
Mango	Powdery mildew and	congenial condition for	igher humidity in morning hours is r occurrence of powdery mildew er pest on mango orchard, hence				

	hoppers	farmers are advised to take control measure to manage these pest and disease.	
		<ul> <li>To manage powdery mildew disease take spray of 3.0 g. Sulphur 80 WP or 1.0 ml. Hexaconozole 5 EC.at flowering and fruiting stage.</li> <li>To manage hopper incidence take the spray of 0.3 ml Imidachloprid 17.8 SL.in a lit. water before flowering and when fruits are pea size.</li> </ul>	
	Rugose whitefly	The immature and adult whiteflies have a sucking feeding	
Coconut		habit, feeding on the under surfaces of the leaflets. Extensive	
		feeding of the insect leads to the excretion of honey dew which	
		encourages growth of the fungus Capnodium sp.which affects	
		the photosynthetic efficiency of the plant.	
		Sooty mould (Capnodium sp.) growth on the leaf surface can	
		be flaked out by spraying 2.5% of maida paste solution mixed	
		with detergent/ Khadi soap @ 5g/ l.	
		In severe cases, spray only neem oil 0.5% or NSKE 5% and	
		avoid spraying any form of insecticides.	
Livestock	young calves, animals to s temperatures and mosquito  • Feed the animals to s	he new born calves from cold, provide straw/hay bedding to keep the bedding material dry and change regularly. Expose unshine during afternoon hours. Possibility of fall in night keep the animal under shed and clean around to control fly in cattle shed.  imals with quality fodder along with 50-100 gram mineral ing early morning and evening hours. This increases milk	
	productivity and enhance the animal's immunity. To avoid occurrence of		
	milk fever in milking animals, farmers are advised to feed orally easily		
	absorbable calcium supplements.		
	Due to prevailing of high humidity farmers are advised to keep clean around		
	the animal shed to avoid the infestation of house fly/other.		

- Download "**DAMINI**" app to get early warning on lightening and take precautions based on the alert given by the application.
- ➤ Kindly download"MAUSAM" APP for location specific forecast & warning &"MEGHDOOT" APP for Agromet advisory
- > This information is available in the website: mausam.imd.gov.in

For any information farmers can contact **Dr.C.Ramachandra**, Senior Farm Superintendent/ **Dr. Sumanth Kumar.G.V**, Research Assoicateover phone No. 0821-259126/9535345814.

AMFU of IMD, Naganahalli, Mysuru