

## FARM MACHINERY TESTING CENTRE

Department of Agricultural Engineering, UNIVERSITY OF AGRICULTURAL SCIENCES, BANGALORE College of Agriculture, GKVK, Bangalore -560065

## SPECIFICATION SHEET OF TRACTOR MOUNTED MECH. REV. M.B. PLOUGH

1.0			:	
	Name of machine		:	
	Name and address of manufacturer			
	Nan	ne and address of applicant	:	
		ing price in India		
2.0	Con	structional details		
	a)	Name	:	
	b)	Туре	:	
	c)	Make	• •	
	d)	Serial Number		
	e)	Model	:	
	f)	Year of manufacture	:	
	g)	No. of plough bottom(s)	:	
	h)	Size of plough (mm)	:	
	i)	Source of power	:	
2.1	Frai			
	a)	Constructional details	:	
	b)	Dimensions (mm):		
		Length	:	
		Width (front/rear)	:	
	iii		:	
		frame for fixing standard		
		(mm)		
	c)	Balancing weight	:	
2.2	Sta	ndard:		
		Numbers	:	
	a)	Hamboro	-	
	a) b)	Material	:	
		Material Type	:	
	b)	Material	:	
	b) c)	Material Type	:	
	b) c)	Material Type Dimensions (mm) - Projected length - Curved length		
	b) c) d) i	Material Type Dimensions (mm) - Projected length - Curved length - Width	:	
	b) c) d) i	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness	:	
	b) c) d) i	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes	:	
	b) c) d) ii iii e)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm)	:	
	b) c) d) ii iii	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing	:	
	b) c) d) ii iii e)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame	:	
	b) c) d) ii iii e) f)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing	:	
2.3	b) c) d) ii iii e) f)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms:	:	
	b) c) d) ii iii e) f) Ploi a)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms: Numbers	:	
	b) c) d) ii iii e) f) Plot a) b)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms: Numbers Type		
	b) c) d) ii iii e) f) Plot a) b) c)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms: Numbers Type Size of plough (mm)	:	
	b) c) d) ii iii e) f) Ploi a) b) c) d)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms: Numbers Type Size of plough (mm) Vertical suction (mm)		
	b) c) d) iii e) f) Plot a) b) c) d) e) e	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms: Numbers Type Size of plough (mm) Vertical suction (mm) Horizontal suction (mm)		
2.3	b) c) d) ii iii e) f) Plot a) b) c) d) e) f)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms: Numbers Type Size of plough (mm) Vertical suction (mm) Horizontal suction (mm) Constructional details		
	b) c) d) ii iii e) f) Plot a) b) c) d) e) f)	Material Type Dimensions (mm) - Projected length - Curved length - Width - Thickness No., size & spacing of holes for fixing frog (mm) No. & size of holes for fixing to the frame Method of fixing ugh Bottoms: Numbers Type Size of plough (mm) Vertical suction (mm) Horizontal suction (mm) Constructional details ould Board:		


	b)	Туре		
	c)	Material	÷	
	d)	Dimensions (mm):	•	
	i	- Length		
	ii	- Width	•	
	iii	- Thickness		
	e)	No & size of hole on mould		
	0)	board (mm)	•	
	f)	Method of fixing mould	:	
	·	board		
2.3.2	Sha			
	a)	Numbers	:	
	b)	Туре	:	
	c)	Dimensions (mm)	:	
	d)	Angle of inclination of share	:	
		along the direction of travel		
		(deg.)		
	e)	No & size of holes on share	:	
		(mm)		
	f)	Method of fixing share to the	:	
0.00	01	bottom		
2.3.3		re bar (Bar-point):	I	
	a)	Numbers	:	
	p)	Type	:	
	c)	Material	:	
	d)	Dimensions (mm)	:	
2.3.4		n of mould board:		
	a)	Numbers	:	
	b)	Material & thickness (mm)	:	
	c)	No & size of hole on shin for	:	
	Ο,			
	,	fixing on frog		
2.3.5	Lar	dside:		
2.3.5	Lar a)	ndside: Numbers	:	
2.3.5	Lar a) b)	ndside: Numbers Material	:	
2.3.5	Lar a)	ndside: Numbers	: :	
2.3.5	Lar a) b)	Numbers Material Dimensions (mm) - Length & Thickness	: : : : : : : : : : : : : : : : : : : :	
2.3.5	Lar a) b)	Numbers Material Dimensions (mm) - Length & Thickness No & size of hole on	: : : : : : : : : : : : : : : : : : : :	
2.3.5	Lar a) b) c)	Numbers Material Dimensions (mm) - Length & Thickness	: : : : : : : : : : : : : : : : : : : :	
2.3.5	Lar a) b) c)	Numbers Material Dimensions (mm) - Length & Thickness No & size of hole on	: : : : : : : : : : : : : : : : : : : :	
	Lar   a)   b)   c)   d)	Numbers Material Dimensions (mm) - Length & Thickness No & size of hole on landside (mm)	: : : : : : : : : : : : : : : : : : : :	
2.3.5	(a) (b) (c) (d) (e)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to	:	
	(a) (b) (c) (d) (e)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog  ces:  Numbers	:	
	Lar   a)   b)   c)   d)   e)   Bra	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog ces:  Numbers  Material & size (mm)	:	
	Lar   a)   b)   c)   d)   e)   Bra   a)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog ces:  Numbers  Material & size (mm)  Dimensions (mm)	:	
	Lar   a)   b)   c)   d)   e)   Bra   a)   b)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog ces:  Numbers  Material & size (mm)  Dimensions (mm)  - Projected length	:	
	Lar   a)   b)   c)   d)   e)   Bra   a)   b)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog  ces:  Numbers  Material & size (mm)  Dimensions (mm)  - Projected length No. & size of hole on each	:	
	Lar   a)   b)   c)   e)   Bra   a)   b)   c)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog ces:  Numbers  Material & size (mm)  Dimensions (mm)  - Projected length	:	
	Lar   a)   b)   c)   e)   Bra   a)   b)   c)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog  ces:  Numbers  Material & size (mm)  Dimensions (mm)  - Projected length No. & size of hole on each brace (mm)	:	
	Lar   a)   b)   c)   e)   Bra   a)   b)   c)   d)   e)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog ces:  Numbers  Material & size (mm)  Dimensions (mm)  - Projected length No. & size of hole on each brace (mm)  Method of fixing	: : : : : : : : : : : : : : : : : : : :	
2.3.6	Lar   a)   b)   c)   d)   e)   b)   c)   d)   e)   Fro	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog ces:  Numbers  Material & size (mm)  Dimensions (mm)  - Projected length No. & size of hole on each brace (mm)  Method of fixing	: : : : : : : : : : : : : : : : : : : :	
2.3.6	Lar   a)   b)   c)   e)   Bra   a)   b)   c)   d)   e)	Numbers  Material Dimensions (mm)  - Length & Thickness No & size of hole on landside (mm)  Method of fixing landside to frog ces:  Numbers  Material & size (mm) Dimensions (mm) - Projected length No. & size of hole on each brace (mm)  Method of fixing	: : : : : : : : : : : : : : : : : : : :	

	c)	Dimensions (mm)	:	
	d)	No. & size of holes on frog	:	
	- /	(mm)		
	i	-for mould board	:	
	ii	-for share	:	
	iii	-for standard	:	
	iv	-for landside	:	
	٧	-for shin	:	
2.4	Rev	versing Mechanism:		
	a)	Type	:	
	b)	Mode of Operation	:	
2.4.1	Rev	versing Lever:		
	a)	Numbers	:	
	b)	Material	:	
	c)	Dimensions (mm)		
		-Projected/curved length	:	
		-Diameter	:	
	d)	Method of fixing	:	
2.4.2		verse Lever:		
	a)	Number	:	
	b)	Material	:	
	c)	Size (mm)	:	
	d)	Dia. of reverse lever holder	:	
		pin hole (mm)		
	e)	Dia. of reverse lever holder	:	
	•	hole (mm)		
0.40	f)	Method of fixing	:	
2.4.3		verse lever lock pin pipe:		
	a)	Constructional detail	:	
	b)	Material	-	
0.404	c)	Size (mm)	-	
2.4.3.1		Reverse lever lock pin:	-	
		a) Material		
		Size (mm) -Size of square portion	-	
		-Size of square portion	:	
2.4.3.2	,	Reverse lever pin spring:	-	
2.4.3.2		Number of spring		
		b) Length of spring (mm)		
		c) Dia. (OD/ID) (mm)		
		d) No. of coils		
		e) Method of fixing		
2.4.4		Main shaft:	•	
2.4.4		a) Constructional details		
		Method of fixing		
2.5		ch Pyramid:		
۷.ن	a)	Constructional details		
	(b)	Size of upper hitch (mm)	:	
	(c)			
	(J	Size of cross bar (mm)		

Specification of Hitch Pyramid As per IS: 4468-1997 (Part-I)

Sr.	Dimension	Description	Measurement
	(Refer	-	

	Fig.1)			
Upper Hitch attachments				
1	d₁	Diameter of hitch pin hole		
2	b' <sub>1</sub>	Width between inner faces of yoke		
3	b' <sub>2</sub>	Width between outer faces of yoke		
Low	er hitch points			
4	$D_2$	Dia. of hitch pin		
5	b' <sub>3</sub>	Linch pin hole distance		
6	1	Lower hitch point span		
Other dimensions				
Diameter of linch pin hole				
7	d	For upper hitch pin		
8		For lower hitch pin		
9	h	Mast height		



Implement Hitch Attachment

2.6	Clutch assembly:			
	a)	Constructional details	:	
2.6.1	Upper hitch point:			
	a)	Material	:	
	b)	Size (mm)	:	
	c)	No. of holes on upper hitch point	:	
	d)	Size of hole for fixing upper hitch point (mm)	:	
	e)	Size of hole for fixing j-hook	:	
	f)	Size of hole for fixing lever	:	
	g)	Method of fixing	:	
2.6.2	J-hook:			
	a)	Material	:	
	b)	Size (mm)	:	
	c)	Dia. of hole for fixing j-hook (mm)	:	
	d)	Size of j-hook pin (mm)	:	
	e)	Method of fixing	:	
2.6.3	Lev	ver:		

	a)	Material	:	
	b)	Size (mm)	:	
	c)	Size of hole for fixing with upper hitch	:	
	d)	Method of fixing	:	
2.6.4	Adjusting grip:			
	a)	Material	:	
	b)	Method of fixing:	:	
3 Overall dimensions (mm) :				
	a)	Length	:	
	b)	Width	:	
	c)	Height	:	
4	To	tal mass (kg)	:	
5	Color of implement		:	

Place: Date:		
Date.	Signature :	
	Name :	
	Designation:	